

WKP709

Touchscreen Cut Protection Gloves

- High protection against sharp edges.
- Greater strength and maximum comfort.
- Micro-foam nitrile coating for good abrasion and oil resistance.

Knitted support in MetalQ (graphite), polyamide and elastane. Gauge 18. Micro-foam nitrile coating on palm and fingertips. Nitrile backing between the thumb and index finger. Elasticated cuff with elastic overlock finish in a colour to match the glove size. Gloves compatible with touch screens. Washable at 40° on delicates cycle. PPE Class II. Standards NF EN ISO 21420:2020 (Protective gloves - General requirements and test methods), NF EN 388+A1:2018 (Gloves for protection against mechanical risks): Performance levels 4342D. Weight of a pair of gloves in size 10: 48g



6-7-8-9-10-11-12



250 g/m²



Black

Certifications



**STANDARD
100**
CQ 1007/8
IFTH
eko-tex.com

More information

Logistic



10



100



CN - China

Country of origin

Customs code




61161020

WKP709

Touchscreen Cut Protection Gloves

Dimensions (cm)



Measurements in cm	6	7	8	9	10	11	12
AT10 - Width of palm level with top of thumb palm seam	8.70	9.00	9.70	10.10	10.30	10.50	11.10
AT33 - Lenght of glove from bottom palm to top finger	18.00	19.00	20.00	21.00	22.00	23.00	24.00



WKP709

Touchscreen Cut Protection Gloves

Colours information



Black
RVB : 35,35,37
Pantone C : Based on Cool gray 7C / Black
Pantone TCX : 16-3850TCX / 19-4004TCX

Logisti  10  100

Sizes	Width (cm)	Height (cm)	Length (cm)	Net weight (kg)	Gross weight (kg)	Pieces/Box	Pieces/Bundle
6	30.00000	20.00000	60.00000	4.45000	4.95000	100	10
7	30.00000	20.00000	60.00000	4.75000	5.25000	100	10
8	30.00000	20.00000	60.00000	5.25000	5.75000	100	10
9	30.00000	20.00000	60.00000	5.75000	6.25000	100	10
10	30.00000	20.00000	60.00000	6.05000	6.55000	100	10
11	30.00000	20.00000	60.00000	6.35000	6.85000	100	10
12	30.00000	20.00000	60.00000	6.70000	7.20000	100	10