



WKP710

Cut and Impact Protection gloves

- Increased protection and various reinforcements.
- Ideal for general handling.
- Sandy nitrile coating for abrasion resistance.

Knitted support in HPPE, steel fibre, basalt, polyester and elastane. Gauge 13. Sandy nitrile coating on palm and fingertips. Sandy nitrile backing between the thumb and index finger. PVC reinforcements on the back of the hand and fingers. Elasticated cuff with elastic overlock finish in a colour to match the glove size. Non-washable product. PPE Class II. Standards NF EN ISO 21420:2020 (Protective gloves - General requirements and test methods), NF EN 388+A1:2018 (Gloves for protection against mechanical risks): Performance levels 4343FP. Weight of a pair of gloves in size 10: 212g



6 - 7 - 8 - 9 - 10 - 11 - 12



430 g/m²



Blue

Certifications



More information

Logistic



5



60



CN - China

Customs code




61161020

WKP710

Cut and Impact Protection gloves

Dimensions (cm)



Measurements in cm	6	7	8	9	10	11	12
AT10 - Width of palm level with top of thumb palm seam	8.70	9.40	9.90	10.40	10.70	10.90	11.20
AT33 - Length of glove from bottom palm to top finger	18.00	19.00	20.00	21.00	22.00	23.00	24.00



WKP710

Cut and Impact Protection gloves

Colours information



Blue
RVB :
Pantone C :
Pantone TCX :

Logistic



5



60

Sizes	Width (cm)	Height (cm)	Length (cm)	Net weight (kg)	Gross weight (kg)	Pieces/Box	Pieces/Bundle
6	28.00000	32.00000	56.00000	9.24000	9.74000	60	5
7	28.00000	32.00000	56.00000	9.94000	10.44000	60	5
8	40.00000	30.00000	60.00000	10.74000	11.24000	60	5
9	40.00000	30.00000	60.00000	11.64000	12.14000	60	5
10	40.00000	30.00000	60.00000	12.90000	13.40000	60	5
11	30.00000	34.00000	58.00000	14.20000	14.70000	60	5
12	40.00000	30.00000	60.00000	15.60000	16.10000	60	5