


PA4007


Adult technical short-sleeved T-shirt with UV protection

- Stretch mesh.
- 40+ UV protection in accordance with the requirements of standard EN13758-1&2.
- Elastic loop in the front hem, which secures the drawstring on a pair of shorts, keeping the t-shirt in place.

88% polyester / 12% elastane. Stretch knit. 40+ UV protection in accordance with EN13758-1&2 requirements standards. Short sleeves. High neck. Tight fit. Elastic buckle inside front hem to insert the shorts' drawstring and hold the t-shirt. Contrasting topstitching. Twin needle finish at cuffs and hem.



Certifications




More information


Logistic




Country of origin



Customs code




Also available in version



PA4008

Adult technical short-sleeved T-shirt with UV protection

Dimensions (cm)



Measurements in cm	XS	S	M	L	XL	XXL
TE01 - 1/2 chest width at 1.5cm below armhole	38.00	41.00	44.00	47.00	50.00	53.00
TF01 - Total height from HSP	63.00	65.00	67.00	69.00	71.00	73.00
TG09 - Raglan short sleeve length	36.00	37.50	39.00	40.50	42.00	43.50



PA4007

Adult technical short-sleeved T-shirt with UV protection

Colours information



Aqua Blue
RVB : 24,110,162
Pantone C : 7690C
Pantone TCX : 18-4032TCX



Black
RVB : 35,35,37
Pantone C : Black
Pantone TCX : 19-4004TCX



Fluorescent Yellow
RVB :
Pantone C : -
Pantone TCX : -



Sporty Navy
RVB : 41,52,47
Pantone C : 533C
Pantone TCX : 19-4024TCX



Sporty Red
RVB : 181,18,46
Pantone C : 1805C
Pantone TCX : 19-1761TCX



White
RVB : 236,236,252
Pantone C : White
Pantone TCX : 11-0601TCX

Logisti



10



50

Sizes	Width (cm)	Height (cm)	Length (cm)	Net weight (kg)	Gross weight (kg)	Pieces/Box	Pieces/Bundle
XS	40.00000	18.00000	60.00000	5.50000	6.50000	50	10
S	40.00000	18.00000	60.00000	6.50000	7.50000	50	10
M	40.00000	18.00000	60.00000	6.50000	7.50000	50	10
L	40.00000	18.00000	60.00000	7.00000	8.00000	50	10
XL	40.00000	18.00000	60.00000	8.00000	9.00000	50	10
XXL	40.00000	18.00000	60.00000	8.50000	9.50000	50	10